

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	226	(computer or user) with (send \$4 or transmit\$4) with start\$4 with messag\$4 with server and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:26
L3	86630	("379").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:27
L4	86630	L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:27
L5	21	3 and l2	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:27
L6	358	tele\$phone near3 adapter same connect\$4 with (computer or laptop or device) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:29
L7	358	L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:29
L8	3	6 and l2	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:29
L9	23	adapter with (send\$4 or transmit\$4) near3 (computer or laptop) with (start\$4 or initial \$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:39

L10	38	telephone near3 adapter near3 (connect\$4) near4 (computer or laptop) and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:46
L11	1	(computer or laptop) with (send \$4 or transmit\$4) with (start near3 message) same (conferenc\$4 or meet\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 13:01
L12	3	(computer or laptop) with (send \$4 or transmit\$4) same (start near3 message) same (conferenc\$4 or meet\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 13:01
S1	4	((("6601087") or ("6654032")). PN.	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:25
S2	7280	(709/204,206).CCLS.	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:27
S3	39	(schedul\$4) with (meet\$4 or conferenc\$4) same (transmit\$4 or send\$4) with (id or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:39
S4	2	("7185054").PN.	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:35
S5	50	video with (meet\$4 or conferenc\$4) same (transmit\$4 or send \$4) with (id or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:39
S6	8	video with (meet\$4 or conferenc\$4) same (transmit\$4 or send \$4) with (id or identification) same telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:49

S7	20	(setUp) with (conference\$4 or meet\$4) same telephone same computer and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:48
S8	226	(server with host\$4 with conference\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:48
S9	9899	(transmit\$4 or send\$4) with (id or identification) same telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:49
S10	153006	(transmit\$4 or send\$4) with (id or identification) with telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:49
S11	6196	(transmit\$4 or send\$4) with (id or identification) with telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:50
S12	2971	(transmit\$4 or send\$4) with (id or identification) near4 telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:50
S13	30	(transmit\$4 or send\$4) with (id or identification) near4 telephone same (conference or meeting) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:55
S14	7	(obtain\$4) with (conference) near2 (ID or identification) same ("data center" or server) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:57
S15	2	(conference near2 server) with (send\$4 or transmit\$4) with (meeting or conference) near2 (id or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 17:03

S16	2	("20070192410").PN.	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 17:04
S17	2	("6760749").PN.	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 17:06
S18	2	("20030035527").PN.	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 17:07
S19	2	("5995608").PN.	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 17:09
S20	2	("6501740").PN.	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 17:09
S21	76	(video or audio) near3 (conferenc\$4 or meeting) near3 set\$up and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:00
S22	18	(establish\$4 or set\$up) with (video or audio) near3 (conferenc\$4 or meeting) near3 (identification or ID) and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:08
S23	29	server near3 host\$4 with (video or audio) near4 (conferenc\$4 or meet\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:17
S24	2	(send\$4 or transmit\$4) near2 (video or audio) near4 (conferenc\$4 or meet\$4) near3 (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:21

S25	4	(send\$4 or transmit\$4) near2 (video or audio) near4 (conferenc\$4 or meet\$4) with (1D or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:22
S26	6	(send\$4 or transmit\$4) near2 (video or audio) with (conferenc\$4 or meet\$4) with (1D or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:23
S27	20	(computer near2 telephone) same (meeting or conferenc\$4) near2 device and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:36
S28	109	(computer and telephone) with (connect\$4 or coupl\$4) with (conferenc\$4 or meeting) near2 (device or computer or telephone) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:43
S29	0	telephone with conferenc\$4 with push with start with meeting and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:27
S30	0	telephone same conferenc\$4 same push same start same meeting and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:27
S31	12	telephone same conferenc\$4 same start same meeting and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:27
S32	17	telephone same conferenc\$4 same start\$4 same meeting and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:28
S33	936	(send\$4 or transmit\$4) with start\$4 with messag\$4 with server and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:40

S34	223	(computer or user) with (send \$4 or transmit\$4) with start\$4 with messag\$4 with server and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:41
S35	5	(computer or user) near2 (send \$4 or transmit\$4) near3 start\$4 with messag\$4 with server and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:41
S36	96	codec with encod\$4 with message and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 14:44
S37	1	codec with encod\$4 with message near2 (identification or ID) and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 14:44
S38	0	PC\$PSTN with adapter and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:42
S39	328533	adapter connect\$4 with (computer or laptop) with network and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:43
S40	251427	adapter connect\$4 with (computer or laptop) with (online or video) with (meet\$4 or conferenc\$4) with network and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:45
S41	4	adapter with connect\$4 with (computer or laptop) with (online or video) with (meet\$4 or conferenc\$4) with network and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:45
S42	2	("20030072429").PN.	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:48

S43	0	("2003/0072429").URPN.	USPAT	OR	OFF	2008/12/13 10:48
S44	4	((("6671262") or ("6807564")).PN.	US-PGRUB; USPAT; USCOR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:49
S45	662	bridg\$4 with (computer or laptop) with server and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USCOR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:54
S46	1600	tele\$phone near3 adapter and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USCOR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:54
S47	358	tele\$phone near3 adapter same connect\$4 with (computer or laptop or device) and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USCOR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:55
S48	265	tele\$phone near3 adapter with connect\$4 with (computer or laptop or device) and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USCOR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:55
S49	2	tele\$phone near3 adapter with connect\$4 with (computer or laptop or device) same conferenc\$4 and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USCOR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:55
S50	971	(379/201.01).CCLS.	US-PGRUB; USPAT; USCOR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:57
S51	2	S48 and S50	US-PGRUB; USPAT; USCOR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:58

S52	3	S47 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:58
S53	86630	("379").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:59
S54	110	S53 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:59
S55	85	S53 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:59
S56	1	tele\$phone near3 adapter same connect\$4 with (computer or laptop or device) near4 (conferenc\$4 or meet\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:05
S57	2	tele\$phone near3 adapter same connect\$4 with (computer or laptop or device) same (conferenc\$4 or meet\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:07
S58	96	tele\$phone near3 adapter same connect\$4 with (computer or laptop or device) and (conferenc \$4 or meet\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:07
S59	36	S58 and S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:07
S60	2	("6175565").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:15



12/13/2008 1:41:58 PM

C:\Documents and Settings\btiv\My Documents\EAST\Workspaces  
\10699103\_conference\_setup\_phones.wsp